


ASE-MC05

ASE RESILIENCE



— ASE COMCENTER —



IRIDIUM VOICE - *GO THE DISTANCE*

IRIDIUM VOICE - *GO THE DISTANCE*

- ✓ IRIDIUM VOICE
- ✓ SUPER LONG CABLE LENGTHS (100M)
- ✓ EXTEND PHONE (POTS) MORE THAN 4000M (2.5 MILES)



WIRELESS PHONE INTEGRATION

Go 'Mobile' inside your building with your wireless phone -- or use a fixed phone as well!

WHAT'S IN THE BOX?



CONTENTS:

- transceiver (MC05)
- mounting bracket (MNT20)
- RJ11, RJ45, and power breakout cable with wall plate
- 15m interface cable
- AC/DC adapter

OPTIONAL ACCESSORIES



extended power cable
-lengths up to 100m
(328 ft) available



POTS phones available



optional battery backup system
(ASE-UPS 24 or 48)

ASE-MC05

ELECTRICAL SPECIFICATIONS

Operating Voltage	9 - 36 VDC
Power Consumption	12 Watts (Avg Active)

ENVIRONMENTAL SPECIFICATIONS

Operating Temp Range	-20°C to +70°C
Exposure	Outdoor - meets IEC60945

MECHANICAL DIMENSIONS

Dimensions	11.2L x 6.7W x 5H inches (28.5 x 15 x 12.7 cm)
Weight	3.0 lbs (1.3 kg)
Mounting	Pole or Surface

SHIPPING DIMENSIONS

Dimensions	20L x 14W x 14H inches (51 x 36 x 36 cm)
Weight	31.0 lbs (14 kg)